NSN 5305-01-349-4319

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-349-4319 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.339 inches **Fastener Length:** Between 0.386 inches and 0.416 inches **Head Style:** Pan **Head Diameter:** Between 0.308 inches and 0.322 inches **Head Height:** Between 0.105 inches and 0.115 inches **Internal Drive Style:** Torque-set ribbed **Thread Diameter:** 0.164 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 160000 pounds per square inch **Hardness Rating:** Between 36.0 rockwell c and 40.0 rockwell c **Screw Material:** Steel comp e4340 or steel comp 4140 or steel comp 8740 or steel comp 8735 or steel comp 6150 **Bearing Surface Of Head Surface Finish:** 32.0 microinches **Shank Surface Finish:** 32.0 microinches **Thread Surface Finish:** 32.0 microinches **Thread Series Designator:** Unjc **Specification Data:** 80205-nas1218 professional/industrial association standard Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5305-01-349-4319 Machine Screw - Page 2 of 2



Fiig:

A500d0