NSN 5305-01-351-4474

Machine Screw - Page 1 of 2

Thread Class:



View Online at https://aerobasegroup.com/nsn/5305-01-351-4474

3a
Thread Direction:
Right-hand
Thread Length:
Between 1.626 inches and 1.750 inches
Fastener Length:
Between 1.688 inches and 1.750 inches
Head Style:
Pan
Head Diameter:
Between 0.306 inches and 0.313 inches
Head Height:
Between 0.103 inches and 0.118 inches
Hole Diameter:
Between 0.034 inches and 0.042 inches
Internal Drive Style:
Torque set
Thread Diameter:
0.190 inches
Hole Quantity:
1
Thready Qty Per Inch (tpi):
Thready Qty Per Inch (tpi): 32
32
32 Product Name:
32 Product Name: Navy special project
Product Name: Navy special project Screw Material:
Product Name: Navy special project Screw Material: Iron alloy 660
Product Name: Navy special project Screw Material: Iron alloy 660 Screw Material Specification:
Product Name: Navy special project Screw Material: Iron alloy 660 Screw Material Specification: Ams5737 assn standard single material response
Product Name: Navy special project Screw Material: Iron alloy 660 Screw Material Specification: Ams5737 assn standard single material response Screw Surface Treatment:
Product Name: Navy special project Screw Material: Iron alloy 660 Screw Material Specification: Ams5737 assn standard single material response Screw Surface Treatment: Passivate
Product Name: Navy special project Screw Material: Iron alloy 660 Screw Material Specification: Ams5737 assn standard single material response Screw Surface Treatment: Passivate Screw Surface Treatment Specification:
Product Name: Navy special project Screw Material: Iron alloy 660 Screw Material Specification: Ams5737 assn standard single material response Screw Surface Treatment: Passivate Screw Surface Treatment Specification: Qq-p-35 federal specification single treatment response
Product Name: Navy special project Screw Material: Iron alloy 660 Screw Material Specification: Ams5737 assn standard single material response Screw Surface Treatment: Passivate Screw Surface Treatment Specification: Qq-p-35 federal specification single treatment response Head Hole Configuration Style:
Product Name: Navy special project Screw Material: Iron alloy 660 Screw Material Specification: Ams5737 assn standard single material response Screw Surface Treatment: Passivate Screw Surface Treatment Specification: Qq-p-35 federal specification single treatment response Head Hole Configuration Style: Round
Product Name: Navy special project Screw Material: Iron alloy 660 Screw Material Specification: Ams5737 assn standard single material response Screw Surface Treatment: Passivate Screw Surface Treatment Specification: Qq-p-35 federal specification single treatment response Head Hole Configuration Style: Round Bearing Surface Of Head Surface Finish:
Product Name: Navy special project Screw Material: Iron alloy 660 Screw Material Specification: Ams5737 assn standard single material response Screw Surface Treatment: Passivate Screw Surface Treatment Specification: Qq-p-35 federal specification single treatment response Head Hole Configuration Style: Round Bearing Surface Of Head Surface Finish: 32.0 microinches
Product Name: Navy special project Screw Material: Iron alloy 660 Screw Material Specification: Ams5737 assn standard single material response Screw Surface Treatment: Passivate Screw Surface Treatment Specification: Qq-p-35 federal specification single treatment response Head Hole Configuration Style: Round Bearing Surface Of Head Surface Finish: 32.0 microinches Thread Surface Finish:
Product Name: Navy special project Screw Material: Iron alloy 660 Screw Material Specification: Ams5737 assn standard single material response Screw Surface Treatment: Passivate Screw Surface Treatment Specification: Qq-p-35 federal specification single treatment response Head Hole Configuration Style: Round Bearing Surface Of Head Surface Finish: 32.0 microinches Thread Surface Finish:

NSN 5305-01-351-4474

Machine Screw - Page 2 of 2



	Spec	cific	ation	Data
--	------	-------	-------	------

80205-nas1101 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A500d0