

View Online at <https://aerobasegroup.com/nsn/5305-01-354-4337>

**Thread Direction:**

Right-hand

**Thread Length:**

Between 7.1 millimeters and 8.0 millimeters

**Fastener Length:**

8.0 millimeters

**Head Style:**

Pan no. 2

**Head Diameter:**

Between 4.1 millimeters and 5.0 millimeters

**Head Height:**

Between 1.3 millimeters and 1.5 millimeters

**Internal Drive Style:**

Torque-set ribbed

**Thread Diameter:**

2.5 millimeters

**Min. Tensile Strength (psi):**

1100 megapascals

**Thread Pitch In Millimeters:**

0.45

**External Thread Tolerance Class:**

4h6h

**Screw Material:**

Iron alloy 660

**Screw Surface Treatment:**

Passivate

**Screw Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response

**Bearing Surface Of Head Surface Finish:**

0.8 micrometers

**Thread Surface Finish:**

0.8 micrometers

**Thread Series Designator:**

Mj

**Specification Data:**

80205-na0068 professional/industrial association standard

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A500d0