NSN 5305-01-354-8771

Panel Screw Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5305-01-354-8771 **Thread Class:** За **Thread Direction:** Right-hand **Thread Length:** Between 0.297 inches and 0.327 inches **Head Style:** Fillister **Head Diameter:** Between 0.245 inches and 0.275 inches **Internal Drive Style:** Cross recess type 1 **Material Accommodated Thickness:** 0.062 inches **Thread Diameter:** 0.138 inches Thready Qty Per Inch (tpi): 32 Material: Steel comp 302 spring or steel comp 302b spring or steel comp 303 spring or steel comp 303 plus x spring or steel comp 303se spring or steel comp 303cu spring or steel comp 303ma spring or steel comp 304 spring or steel comp 304l springsteel comp 302 stand-off or steel comp 302b stand-off or steel comp 303 stand-off or steel comp 303 plus x stand-off or steel comp 303se stand-off or steel comp 303cu stand-off or steel comp 303ma stand-off or steel comp 304 stand-off or steel comp 304l stand-offiron alloy 660 fastener **Material Specification:** Ams5731 assn standard single material response fastener or ams5737 assn standard single material response fastener **Surface Treatment: Passivate Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure:** Demilitarization:

No Fiig:

A003b0