NSN 5305-01-355-9443

Hexagon Head Cap Screw - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5305-01-355-9443

| Thread Class: |
|--|
| 2a |
| Thread Direction: |
| Right-hand |
| Thread Length: |
| 1.188 inches |
| Fastener Length: |
| Between 1.438 inches and 1.500 inches |
| Head Style: |
| Hexagon |
| Head Height: |
| 0.455 inches |
| Width Between Flats: |
| Between 1.100 inches and 1.125 inches |
| Thread Diameter: |
| 0.750 inches |
| Thready Qty Per Inch (tpi): |
| 10 |
| Min. Tensile Strength (psi): |
| 120000 pounds per square inch |
| Material: |
| Steel |
| •100. |
| Material Specification: |
| |
| Material Specification: |
| Material Specification: Sae grade 5 assn standard single material response |
| Material Specification: Sae grade 5 assn standard single material response Surface Treatment: |
| Material Specification: Sae grade 5 assn standard single material response Surface Treatment: Cadmium |
| Material Specification: Sae grade 5 assn standard single material response Surface Treatment: Cadmium Thread Series Designator: |
| Material Specification: Sae grade 5 assn standard single material response Surface Treatment: Cadmium Thread Series Designator: Unc |
| Material Specification: Sae grade 5 assn standard single material response Surface Treatment: Cadmium Thread Series Designator: Unc Shelf Life: |
| Material Specification: Sae grade 5 assn standard single material response Surface Treatment: Cadmium Thread Series Designator: Unc Shelf Life: N/a |
| Material Specification: Sae grade 5 assn standard single material response Surface Treatment: Cadmium Thread Series Designator: Unc Shelf Life: N/a |
| Material Specification: Sae grade 5 assn standard single material response Surface Treatment: Cadmium Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: |
| Material Specification: Sae grade 5 assn standard single material response Surface Treatment: Cadmium Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization: |