## NSN 5305-01-357-6326

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-357-6326

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.208 inches and 0.258 inches
Fastener Length:
Between 0.406 inches and 0.436 inches
Head Style:
Flat countersunk
Head Diameter:
Between 0.194 inches and 0.225 inches
Internal Drive Style:
Torque set
Thread Diameter:
0.112 inches
Thready Qty Per Inch (tpi):
40
Min. Tensile Strength (psi):
160000 pounds per square inch
Countersink Angle:
Between 99.0 degrees and 101.0 degrees
Screw Material:
Iron alloy 660
Screw Surface Treatment:
Passivate
Screw Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Bearing Surface Of Head Surface Finish:
32.0 microinches
Shank Surface Finish:
32.0 microinches
Thread Surface Finish:
32.0 microinches
Thread Series Designator:
Unjc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

## **NSN 5305-01-357-6326** Machine Screw - Page 2 of 2



Fiig:

A500d0