NSN 5305-01-359-7073

Machine Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-01-359-7073



Thread Class: 3a **Thread Direction: Right-hand Thread Length:** Between 1.405 inches and 1.437 inches Fastener Length: Between 1.422 inches and 1.469 inches **Head Style:** Hexagon **Head Height:** Between 0.125 inches and 0.140 inches Width Between Flats: Between 0.367 inches and 0.376 inches Internal Drive Style: Cross recess type 1 **Thread Diameter:** 0.250 inches Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 160000 pounds per square inch **Product Name:** Navy special project **Screw Material:** Iron alloy 660 **Screw Material Specification:** Ams5731 assn standard single material response or ams5737 assn standard single material response **Screw Surface Treatment:** Passivate **Screw Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Bearing Surface Of Head Surface Finish:** 63.0 microinches Shank Surface Finish: 32.0 microinches

Thread Surface Finish:

32.0 microinches

Thread Series Designator:

Unjf

Specification Data:

80205-nas1802 professional/industrial association standard

NSN 5305-01-359-7073

Machine Screw - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A500d0

