NSN 5305-01-361-1293

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-361-1293

Thread Class:
3a Thread Biradian
Thread Direction:
Right-hand
Thread Length:
Between 0.220 inches and 0.250 inches
Fastener Length:
Between 0.220 inches and 0.250 inches
Head Style:
Pan
Head Diameter:
Between 0.256 inches and 0.270 inches
Head Height:
Between 0.087 inches and 0.097 inches
Locking Feature:
Patch or pellet or strip
Internal Drive Style:
Cross recess type 1
Thread Diameter:
0.138 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
160000 pounds per square inch
Screw Material:
Iron alloy 660
Locking Feature Material:
Plastic polyamide
Screw Material Specification:
Ams 5731 assn standard single material response or ams 5737 assn standard single material response
Screw Surface Treatment:
Cadmium and chromate
Screw Surface Treatment Specification:
Qq-p-416 type 2 cl 2 federal specification all treatment responses
Thread Series Designator:
Unjf
Specification Data:
80205-nas8101 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5305-01-361-1293

Machine Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A500d0