## NSN 5305-01-361-7516



Machine Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-01-361-7516 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 1.750 inches **Fastener Length:** Between 3.672 inches and 3.719 inches **Head Style:** Hexagon **Head Height:** Between 0.125 inches and 0.140 inches Width Between Flats: Between 0.367 inches and 0.376 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.250 inches Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 160000 pounds per square inch **Screw Material:** Iron alloy 660

**Screw Material Specification:** 

Ams 5731 assn standard single material response or ams 5737 assn standard single material response

**Screw Surface Treatment:** 

**Passivate** 

**Screw Surface Treatment Specification:** 

Qq-p-35 federal specification single treatment response

**Bearing Surface Of Head Surface Finish:** 

63.0 microinches

**Thread Surface Finish:** 

32.0 microinches

**Thread Series Designator:** 

Unjf

**Specification Data:** 

80205-nas1802 professional/industrial association standard

Shelf Life:

N/a

**Unit Of Measure:** 

## NSN 5305-01-361-7516

Machine Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A500d0