

View Online at <https://aerobasegroup.com/nsn/5305-01-365-0852>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Thread Length:**

Between 0.595 inches and 0.625 inches

**Fastener Length:**

Between 0.777 inches and 0.800 inches

**Head Style:**

Watertight

**Head Diameter:**

Between 0.473 inches and 0.517 inches

**Head Height:**

Between 0.162 inches and 0.175 inches

**Internal Drive Style:**

Slot

**Thread Diameter:**

0.250 inches

**Features Provided:**

O ring

**Thready Qty Per Inch (tpi):**

20

**Screw Material:**

Steel comp 304 or steel comp 305 or steel comp 316

**Locking Feature Material:**

Plastic polyamide

**Screw Material Specification:**

Mil-s-82496 military specification single material response

**Screw Surface Treatment:**

Passivate

**Screw Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response

**Thread Series Designator:**

Unc

**Specification Data:**

96906-ms3212 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A500d0

**Mil-std (military Standard):**

Mil-s-82496 spec.