NSN 5305-01-366-1478

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-366-1478 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.128 inches **Fastener Length:** 0.153 inches **Head Style:** Knurled no. 3 **Head Diameter:** Between 0.099 inches and 0.119 inches **Head Height:** 0.035 inches **Internal Drive Style:** Tri-wing recess **Thread Diameter:** 0.060 inches Thready Qty Per Inch (tpi): **Countersink Angle:** Between 80.0 degrees and 82.0 degrees **Screw Material:** Steel **Bearing Surface Of Head Surface Treatment:** Copper and gold **Screw Surface Treatment:** Copper and gold **Screw Surface Treatment Specification:** Mil-c-14550, cl2 military specification 1st treatment response and mil-g-45204, ty2, cl1 military specification 2nd treatment response **Special Features:** Concentric hole .024 in. Dia, .080 in. Deep at the fastener end **Thread Series Designator:** Unf Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No Fiig:

. -

A500d0

NSN 5305-01-366-1478

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-c-14550 spec.