NSN 5305-01-368-0094

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-368-0094 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.781 inches **Fastener Length:** Between 1.953 inches and 2.000 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.711 inches and 0.759 inches **Internal Drive Style:** High-torque **Thread Diameter:** 0.500 inches Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 180000 pounds per square inch **Hardness Rating:** Between 40.0 rockwell c and 43.0 rockwell c **Countersink Angle:** Between 99.0 degrees and 101.0 degrees **Screw Material:** Steel comp 8740 or steel comp 4340 or steel comp 4140 or steel comp 6150 **Screw Surface Treatment:** Cadmium **Bearing Surface Of Head Surface Finish:** 32.0 microinches **Shank Surface Finish:** 32.0 microinches **Thread Surface Finish:** 32.0 microinches **Thread Series Designator:** Unjf Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 5305-01-368-0094

Machine Screw - Page 2 of 2



Fiig:

A500d0