

View Online at <https://aerobasegroup.com/nsn/5305-01-369-0870>

**Thread Direction:**

Right-hand

**Thread Length:**

Between 25.0 millimeters and 30.0 millimeters

**Fastener Length:**

Between 4.5 millimeters and 5.0 millimeters

**Head Style:**

Pan

**Head Diameter:**

Between 3.94 millimeters and 4.24 millimeters

**Head Height:**

Between 1.40 millimeters and 1.60 millimeters

**Internal Drive Style:**

Cross recess type ii

**Thread Diameter:**

2.2 millimeters

**Min. Tensile Strength (psi):**

80000 pounds per square inch

**Thread Pitch In Millimeters:**

0.45

**External Thread Tolerance Class:**

6g

**Screw Material:**

Steel comp 303 or steel comp 303pb or steel comp 303 plus x or steel comp 303se or steel comp 303ma

**Locking Feature Material:**

Plastic polyamide

**Locking Feature Material Specification:**

L-p-410 federal specification single material response

**Screw Surface Treatment:**

Passivate

**Screw Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response

**Thread Series Designator:**

M

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A500d0