# NSN 5305-01-371-4113

Machine Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-01-371-4113



## **Thread Class:**

3a

**Thread Direction:** 

**Right-hand** 

#### Thread Length:

Between 0.147 inches and 0.250 inches

#### Fastener Length:

Between 0.219 inches and 0.250 inches

#### **Head Style:**

Flat countersunk

#### Head Diameter:

Between 0.138 inches and 0.279 inches

#### Internal Drive Style:

Cross recess type 1

#### **Thread Diameter:**

0.138 inches

#### Thready Qty Per Inch (tpi):

32

#### Min. Tensile Strength (psi):

160000 pounds per square inch

#### Countersink Angle:

Between 99.0 degrees and 101.0 degrees

# Screw Material:

Iron alloy 660

#### Locking Feature Material:

Plastic polyamide

#### **Screw Material Specification:**

Ams 5737 assn standard single material response or ams 4967 assn standard single material response

#### Locking Feature Material Specification:

Mil-f-18240 military specification single material response

#### **Thread Series Designator:**

Unjc

## **Specification Data:**

80205-nas1189 professional/industrial association standard

## Shelf Life:

N/a

# Unit Of Measure:

---

#### Demilitarization:

No

Fiig:

A500d0

# NSN 5305-01-371-4113

Machine Screw - Page 2 of 2

# Mil-std (military Standard):

Mil-f-18240 spec.

