

View Online at <https://aerobasegroup.com/nsn/5305-01-374-3459>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Thread Length:**

Between 0.095 inches and 0.105 inches

**Fastener Length:**

Between 0.270 inches and 0.280 inches

**Head Style:**

Hexagon

**Head Height:**

Between 0.045 inches and 0.055 inches

**Width Between Flats:**

Between 0.181 inches and 0.187 inches

**Internal Drive Style:**

Slot

**Thread Diameter:**

0.312 inches

**Thready Qty Per Inch (tpi):**

40

**Product Name:**

Navy special project

**Screw Material:**

Steel comp 301 or steel comp 302 or steel comp 302b or steel comp 303 or steel comp 303se or steel comp 304 or steel comp 304l or steel comp 305 or steel comp 308 or steel comp 309 or steel comp 309s or steel comp 301 or steel comp 310s or steel comp 314 or steel comp 316 or steel comp 316l or steel comp 317 or steel comp 321 or steel comp 347 or steel comp 348 or steel comp 384 or steel comp 385

**Screw Surface Treatment:**

Oxide

**Screw Surface Treatment Specification:**

Mil-c-13924, cl4 military specification single treatment response

**Thread Series Designator:**

Unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A500d0

**Mil-std (military Standard):**

Mil-c-13924 spec.