## NSN 5305-01-380-5133

Panel Screw Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-380-5133 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.250 inches **Fastener Length:** Between 0.520 inches and 0.550 inches **Head Style:** Flat countersunk undercut **Head Diameter:** Between 0.340 inches and 0.350 inches **Head Height:** Between 0.205 inches and 0.215 inches **Internal Drive Style:** Cross recess type 1 **Material Accommodated Thickness:** Between 0.126 inches and 0.187 inches **Thread Diameter:** 0.138 inches Thready Qty Per Inch (tpi): 32 **Countersink Angle:** Between 99.0 radians and 101.0 radians Color: Black threads Material: Steel comp 302 threads **Material Specification:** Astm-a-493 assn standard single material response threads **Surface Treatment:** Oxide threads **Surface Treatment Specification:** Mil-f-495 military specification single treatment response threads or mil-c-13924, cl4 military specification single treatment response threads **Thread Series Designator:** Unc Shelf Life:

**Demilitarization:** No

**Unit Of Measure:** 

N/a

## NSN 5305-01-380-5133

Panel Screw Assembly - Page 2 of 2



Fiig:

A003b0

Mil-std (military Standard):

Mil-a-8625 spec.