

View Online at <https://aerobasegroup.com/nsn/5305-01-391-2162>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Thread Length:**

0.110 inches

**Fastener Length:**

Between 0.245 inches and 0.250 inches

**Head Style:**

Flat chamfer

**Head Diameter:**

Between 0.192 inches and 0.197 inches

**Head Height:**

Between 0.075 inches and 0.080 inches

**Shoulder Diameter:**

0.127 inches first shoulder and 0.132 inches first shoulder

**Shoulder Length:**

0.105 inches first shoulder and 0.110 inches first shoulder

**Internal Drive Style:**

Slot

**Thread Diameter:**

0.086 inches

**Thready Qty Per Inch (tpi):**

56

**Shoulder Shape:**

Round first shoulder

**Special Features:**

Threads undercut for relief, 0.0675 in. Dia., porm 0.0025 in., 0.030 in. Max. Width

**Material:**

Steel comp 303 or steel comp 303se

**Material Specification:**

Astm a582 cond a cold finished assn standard all material responses

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Qq-p-35 type 2, 6 or 7 federal specification single treatment response

**Thread Series Designator:**

Unjc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A003b0