NSN 5305-01-391-5024

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-391-5024

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.373 inches
Fastener Length:
0.500 inches
Head Style:
Flat countersunk
Head Diameter:
0.385 inches
Width Between Flats:
0.125 inches
Locking Feature:
Strip
Internal Drive Style:
Err-090
Thread Diameter:
0.190 inches
Width Across Flats:
0.125 inches
Thready Qty Per Inch (tpi):
24
Min. Tensile Strength (psi):
80000 pounds per square inch
Hardness Rating:
80.0 rockwell b
Countersink Angle:
82.0 degrees
Screw Material:
Steel comp 302 or steel comp 303 or steel comp 304 or steel comp 305 or steel comp 316
Locking Feature Material:
Plastic polyamide
Screw Material Specification:
66 federal specification single material response
Locking Feature Material Specification:
Mil-f-18240, ty I military specification single material response
Screw Surface Treatment:
Passivate

_ _

Screw Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

NSN 5305-01-391-5024

Machine Screw - Page 2 of 2



Color:
Black
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A500d0

Mil-std (military Standard):

Mil-f-18240 spec.