NSN 5305-01-396-5655

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-396-5655

Thread Class:						
3a						
Thread Direction:						
Right-hand						
Thread Length:						
0.312 inches						
Fastener Length:						
Between 0.281 inches and 0.312 inches						
Head Style:						
Pan						
Head Diameter:						
0.314 inches						
Head Height:						
0.110 inches						
Locking Feature:						
Pellet or strip						
Internal Drive Style:						
Torque set						
End Application:						
F-16						
Thread Diameter:						
0.164 inches						
Thready Qty Per Inch (tpi):						
32						
Min. Tensile Strength (psi):						
160000 pounds per square inch						
Screw Material:						
Iron alloy 660						
Locking Feature Material:						
Plastic polychlorotrifluoroethylene						
Screw Material Specification:						
Ams5737 assn standard single material response						
Screw Surface Treatment:						
Passivate						
Screw Surface Treatment Specification:						
Qq-p-35 federal specification single treatment response						
Thread Series Designator:						
Unjc						
Specification Data:						
80205-nas1190 professional/industrial association standard						
Shelf Life:						

N/a

NSN 5305-01-396-5655

Machine Screw - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A500d0