NSN 5305-01-409-0643

Close Tolerance Screw - Page 1 of 2

N/a



View Online at https://aerobasegroup.com/nsn/5305-01-409-0643

Thread C	lass:
3a	
Thread D	irection:
Right-han	d
Thread L	ength:
0.363 incl	nes
Fastener	Length:
1.675 incl	nes
Head Sty	le:
Flat count	ersunk
Head Dia	meter:
Between	0.339 inches and 0.381 inches
Grip Diar	neter:
Between	0.1885 inches and 0.1895 inches
Internal I	Drive Style:
Cross rec	ess type 1
End App	ication:
Pacer day	vn
Thread D	iameter:
0.190 incl	nes
Grip Len	gth:
1.312 incl	nes
Thready	Qty Per Inch (tpi):
32	
Min. Ten	sile Strength (psi):
160000 p	ounds per square inch
Counters	ink Angle:
Between	99.0 degrees and 101.0 degrees
Material:	
Iron alloy	660
Material	Specification:
Ams5731	assn standard single material response or ams5732 assn standard single material response or ams5737 assn standard single
material r	esponse
Surface 7	Treatment:
Passivate	
Surface 1	Treatment Specification:
Qq-p-35 f	ederal specification single treatment response
Thread S	eries Designator:
Unjf	
Specifica	tion Data:
80205-na	s1580 professional/industrial association standard
Shelf Life	

NSN 5305-01-409-0643

Close Tolerance Screw - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0

