NSN 5305-01-414-2948

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-414-2948

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

Between 0.089 inches and 0.125 inches

Fastener Length:

0.125 inches

Head Style:

Flat countersunk undercut

Head Diameter:

Between 0.155 inches and 0.165 inches

Head Height:

Between 0.028 inches and 0.036 inches

Internal Drive Style:

Cross recess type 1

Thread Diameter:

0.086 inches

Thready Qty Per Inch (tpi):

56

Min. Tensile Strength (psi):

80000 pounds per square inch

Countersink Angle:

82.0 degrees

Screw Material:

Steel comp 302 or steel comp 303 or steel comp 304 or steel comp 316

Screw Material Specification:

Fed 66 federal standard all material responses

Screw Surface Treatment:

Passivate

Screw Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Special Features:

Altered item drawing from p/n's ms51959-1 and 418198-1 nsn 5305007662422

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

NSN 5305-01-414-2948

Machine Screw - Page 2 of 2

Fiig: A500d0

