NSN 5305-01-418-9085

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-418-9085

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.339 inches
Fastener Length:
Between 0.344 inches and 0.375 inches
Head Style:
Pan
Head Diameter:
Between 0.155 inches and 0.167 inches
Head Height:
Between 0.053 inches and 0.062 inches
Locking Feature:
Pellet or strip
Internal Drive Style:
Torque set
Thread Diameter:
0.086 inches
Thready Qty Per Inch (tpi):
56
Min. Tensile Strength (psi):
160000 pounds per square inch
Screw Material:
Iron alloy 660
Locking Feature Material:
Plastic polychlorotrifluoroethylene
Screw Material Specification:
Ams 5737 assn standard single material response
Locking Feature Material Specification:
Ams 3650 assn standard single material response
Screw Surface Treatment:
Passivate
Screw Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Thread Series Designator:
Unjc
Specification Data:
80205-nas1190 professional/industrial association standard
Shelf Life:
N/a

NSN 5305-01-418-9085

Machine Screw - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A500d0

