## NSN 5305-01-420-7739

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-420-7739

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.276 inches
Fastener Length:
0.464 inches
Head Style:
Modified pan
Head Diameter:
Between 0.309 inches and 0.331 inches
Head Height:
Between 0.088 inches and 0.102 inches
Grip Diameter:
Between 0.162 inches and 0.163 inches
Internal Drive Style:
Offset cruciform (torque set)
End Application:
Pacer dawn
Thread Diameter:
0.164 inches
Grip Length:
Between 0.115 inches and 0.135 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
160000 pounds per square inch
Surface Finish:
32.0 microinches threads
Material:
Iron alloy 660
Material Specification:
Ams5737 assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Thread Series Designator:
Unjc
Specification Data:
80205-nas1142 professional/industrial association standard

## NSN 5305-01-420-7739

Close Tolerance Screw - Page 2 of 2



She	lf I	Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A003b0