## NSN 5305-01-422-5885

Hexagon Head Cap Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-422-5885 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.646 inches **Fastener Length:** Between 0.719 inches and 0.750 inches **Head Style:** Hexagon **Head Height:** Between 0.226 inches and 0.243 inches Width Between Flats: Between 0.551 inches and 0.562 inches **Shank Unthreaded Hole Diameter:** 0.105 inches first hole and 0.111 inches first hole **End Application:** Spec item **Thread Diameter:** 0.375 inches Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 120000 pounds per square inch Distance From Head Largest Bearing Surface To Shank Hole Center: 0.594 inches first hole Material: Steel **Material Specification:** Sae j429 gr 5 assn standard single material response **Surface Treatment:** Cadmium and chromate **Surface Treatment Specification:** Qq-p-416 type 2 cl 2 federal specification single treatment response **Thread Series Designator:** Unf Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** No

## **NSN 5305-01-422-5885** Hexagon Head Cap Screw - Page 2 of 2



Fiig:

A003b0