NSN 5305-01-436-0789

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-436-0789 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.365 inches **Fastener Length:** Between 1.043 inches and 1.073 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.509 inches and 0.518 inches **Grip Diameter:** Between 0.2485 inches and 0.2895 inches **Internal Drive Style:** Offset cruciform (torque set) **Thread Diameter:** 0.250 inches **Grip Length:** Between 0.552 inches and 0.572 inches Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 160000 pounds per square inch **Countersink Angle:** Between 99.0 degrees and 101.0 degrees **Special Features:** Nutplate cbore between grip and threads/captive panel fastener Material: Iron alloy 660 **Material Specification:** Ams5731 assn standard single material response or ams5737 assn standard 1st material response **Surface Treatment: Passivate Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Thread Series Designator:** Unjf Shelf Life: N/a

--

Unit Of Measure:

NSN 5305-01-436-0789

Close Tolerance Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0