# NSN 5305-01-443-6979

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-443-6979

Thread	Class:

3a

**Thread Direction:** 

**Right-hand** 

## Thread Length:

0.501 inches

### Fastener Length:

1.626 inches

#### **Head Style:**

Flat countersunk

#### Head Diameter:

0.4289 inches

#### Head Height:

0.070 inches

#### Grip Diameter:

Between 0.3110 inches and 0.3120 inches

#### **Internal Drive Style:**

Offset cruciform (torque set)

#### Thread Diameter:

0.312 inches

## Grip Length:

1.125 inches

### Thready Qty Per Inch (tpi):

24

# Min. Tensile Strength (psi):

160000 pounds per square inch

## **Countersink Angle:**

Between 99.0 degrees and 101.0 degrees

# Material:

Steel comp 4140 or steel comp 4340 or steel comp 8740

## Material Specification:

Mil-s-5626 military specification single material response or mil-s-5000 military specification single material response or mil-s-6049 military

specification single material response

## Surface Treatment:

Cadmium

# Surface Treatment Specification:

Qq-p-416, ty2, cl2 federal specification single treatment response

# **Thread Series Designator:**

Unjf

## Shelf Life:

N/a

## Unit Of Measure:

# NSN 5305-01-443-6979

Close Tolerance Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-5626 spec.