# NSN 5305-01-443-6986

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-443-6986

Throad	Classe
Thread	Class:

3a

**Thread Direction:** 

**Right-hand** 

## Thread Length:

0.594 inches

## Fastener Length:

1.844 inches

### Head Style:

Flat countersunk

### Head Diameter:

0.5149 inches

Head Height:

0.081 inches

### Grip Diameter:

Between 0.3735 inches and 0.3745 inches

### **Internal Drive Style:**

Offset cruciform (torque set)

## Thread Diameter:

0.375 inches

## Grip Length:

1.250 inches

## Thready Qty Per Inch (tpi):

24

# Min. Tensile Strength (psi):

160000 pounds per square inch

## **Countersink Angle:**

Between 99.0 degrees and 101.0 degrees

# Product Name:

Navy special project

## Material:

Steel comp 4140 or steel comp 4340 or steel comp 8740

# Material Specification:

Mil-s-5626 military specification single material response or mil-s-5000 military specification single material response or mil-s-6049 military specification single material response

## Surface Treatment:

Cadmium

## Surface Treatment Specification:

Qq-p-416, ty2, cl2 federal specification single treatment response

## Thread Series Designator:

Unjf

### Shelf Life:

N/a

# NSN 5305-01-443-6986

Close Tolerance Screw - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-5626 spec.

