NSN 5305-01-444-4898

Shoulder Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-444-4898

Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.875 inches
Fastener Length:
1.500 inches
Head Style:
Flat chamfer
Head Diameter:
Between 0.550 inches and 0.562 inches
Head Height:
0.375 inches
Shoulder Diameter:
0.383 inches first shoulder and 0.385 inches first shoulder
Shoulder Length:
0.875 inches first shoulder
Internal Drive Style:
Hexagon
Thread Diameter:
0.375 inches
Width Across Flats:
Between 0.312 inches and 0.316 inches
Thready Qty Per Inch (tpi):
16
Min. Tensile Strength (psi):
180000 pounds per square inch
Hardness Rating:
39.0 rockwell c and 45.0 rockwell c
Minimum Yield Strength:
155000 pounds per square inch
Shoulder Shape:
Round first shoulder
Material:
Steel comp 4340
Material Specification:
Astm a574 assn standard single material response
Thread Series Designator:
Unc
Specification Or Standard:
2 type

NSN 5305-01-444-4898

Shoulder Screw - Page 2 of 2



_				-		
C	h	0	Iŧ.		ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0