## NSN 5305-01-453-9637

Socket Head Cap Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-453-9637

Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.585 inches
Fastener Length:
Between 1.085 inches and 1.125 inches
Head Style:
Flat chamfer
Head Diameter:
Between 0.550 inches and 0.562 inches
Head Height:
Between 0.368 inches and 0.375 inches
Hole Diameter:
Between 0.061 inches and 0.067 inches
Internal Drive Style:
Hexagon
Thread Diameter:
0.375 inches
Width Across Flats:
0.312 inches
Hole Quantity:
6
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
16
Hole Configuration Style:
Round internal hexagon
Special Features:
Surface treatment: alumizite "z" supplied by tiodize, cage 34568
Material:
Titanium alloy uns r56400
Material Specification:
Mil-t-9047 military specification single material response
Surface Treatment:
Anodize and aluminum
Surface Treatment Specification:
Ams 2468 assn standard 1st treatment response and mil-c-85614 military specification 2nd treatment response
Thread Series Designator:
Unc

## NSN 5305-01-453-9637

Socket Head Cap Screw - Page 2 of 2



N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A003b0	

Mil-std (military Standard):

Mil-t-9047 spec.

Shelf Life: