NSN 5305-01-456-0726

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-456-0726 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.213 inches **Fastener Length:** Between 0.348 inches and 0.378 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.193 inches and 0.226 inches **Grip Diameter:** Between 0.1105 inches and 0.1115 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.112 inches **Grip Length:** Between 0.115 inches and 0.135 inches Thready Qty Per Inch (tpi): 40 Min. Tensile Strength (psi): 160000 pounds per square inch **Countersink Angle:** Between 99.0 degrees and 101.0 degrees Material: Iron alloy 660 **Material Specification:** Ams 5731 assn standard single material response or ams 5737 assn standard single material response **Surface Treatment:** Cadmium and chromate **Surface Treatment Specification:** Qq-p-416, ty2, cl2 federal specification single treatment response **Thread Series Designator:** Unjc **Specification Data:** 80205-7500 professional/industrial association standard Shelf Life: N/a

Unit Of Measure:

NSN 5305-01-456-0726

Close Tolerance Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0