NSN 5305-01-464-6667

Machine Screw - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5305-01-464-6667 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.480 inches **Fastener Length:** Between 0.480 inches and 0.500 inches **Head Style:** Round **Head Diameter:** Between 0.357 inches and 0.373 inches **Head Height:** Between 0.122 inches and 0.133 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.190 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 60000 pounds per square inch **Screw Material:** Steel comp 1015 and steel comp 1016 and steel comp 1017 and steel comp 1018 and steel comp 1019 and steel comp 1020 and steel comp 1021 and steel comp 1022 and steel comp 1023 and steel comp 1025 and steel comp 1026 and steel comp 1029 and steel comp 1030 and steel comp 1116 and steel comp 1117 and steel comp 1118 and steel comp 1119 and steel comp 1132 **Screw Material Specification:** Astm a29 federal specification single material response **Screw Surface Treatment:** Zinc **Screw Surface Treatment Specification:** Astm b633 sc3 type ii federal specification single treatment response **Thread Series Designator:** Unf Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No

Fiig:

A500d0