NSN 5305-01-471-9389

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-471-9389

The LOID
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.323 inches
Fastener Length:
Between 0.675 inches and 0.713 inches
Head Style:
Pan
Head Diameter:
Between 0.357 inches and 0.373 inches
Head Height:
Between 0.122 inches and 0.133 inches
Grip Diameter:
Between 0.1885 inches and 0.1895 inches
Internal Drive Style:
Offset cruciform (torque set)
End Application:
Support or pre-provisioning items for which navicp-phil acts as poe
Thread Diameter:
0.190 inches
Grip Length:
Between 0.365 inches and 0.385 inches
Thready Qty Per Inch (tpi):
32
Criticality Code Justification:
Agav
Product Name:
Bolt, pan head, close tolerance, short thread, cruciform recess, titanium alloy gal-4v, self-locking and nonlocking
Material:
Titanium alloy uns r56400
Material Specification:
Ams 4928 assn standard 1st material response or ams 4967 assn standard 2nd material response
Surface Treatment:
Aluminum
Surface Treatment Specification:
Nas 4006 assn standard single treatment response
Thread Series Designator:
Unjf
Shelf Life:
N/a

NSN 5305-01-471-9389

Close Tolerance Screw - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A003b0