## NSN 5305-01-476-1218

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-476-1218

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.345 inches
Fastener Length:
Between 1.210 inches and 1.230 inches
Head Style:
Flat countersunk
Head Diameter:
Between 0.372 inches and 0.381 inches
Hole Diameter:
0.070 inches
Spline Major Diameter:
0.155 inches
Grip Diameter:
Between 0.1885 inches and 0.1895 inches
Internal Drive Style:
Torx
Thread Diameter:
0.190 inches
Grip Length:
Between 0.865 inches and 0.885 inches
Hole Quantity:
1
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
32
Countersink Angle:
Between 99.0 degrees and 101.0 degrees
Product Name:
Navy special project
Material:
Steel comp xm-13
Material Specification:
23-112 mfr ref single material response
Surface Treatment:
Aluminum
Surface Treatment Specification:
Mil-c-83488, type ii. class 3 plus cetyl alcohol per mil-l-87132, type 1, grade b milita

Mil-c-83488, type ii, class 3 plus cetyl alcohol per mil-l-87132, type 1, grade b military specification single treatment response

## NSN 5305-01-476-1218

Close Tolerance Screw - Page 2 of 2



**Thread Series Designator:** 

Unjf

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-c-83488 spec.