NSN 5305-01-477-5523

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-477-5523

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.323 inches
Fastener Length:
Between 0.933 inches and 0.963 inches
Head Style:
Pan
Head Diameter:
Between 0.357 inches and 0.373 inches
Head Height:
Between 0.122 inches and 0.133 inches
Grip Diameter:
Between 0.1885 inches and 0.1895 inches
Internal Drive Style:
Cross recess type 1
Thread Diameter:
0.190 inches
Grip Length:
Between 0.615 inches and 0.635 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
160000 pounds per square inch
Material:
Iron alloy 660
Material Specification:
As-5731 assn standard single material response or ams5732 assn standard single material response or ams5737 assn standard single
material response or ams5853 assn standard single material response
Surface Treatment:
Cadmium
Surface Treatment Specification:
Qq-p-416, type ii, class 2 federal specification single treatment response
Thread Series Designator:
Unf
Specification Data:
80205-nas7803 professional/industrial association standard
Shelf Life:
N/a

--

Unit Of Measure:

NSN 5305-01-477-5523

Close Tolerance Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0