NSN 5305-01-477-5622

Close Tolerance Screw - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5305-01-477-5622

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.505 inches and 0.572 inches
Head Style:
Flat countersunk undercut
Head Diameter:
Between 0.629 inches and 0.634 inches
Head Height:
Between 0.088 inches and 0.090 inches
Internal Drive Style:
High-torque
End Application:
Fighter aircraft-first (f18 e/f)
Thread Diameter:
0.312 inches
Thready Qty Per Inch (tpi):
24
Countersink Angle:
Countersink Angle: 100.0 degrees
_
100.0 degrees
100.0 degrees Criticality Code Justification:
100.0 degrees Criticality Code Justification: Agav
100.0 degrees Criticality Code Justification: Agav Material:
100.0 degrees Criticality Code Justification: Agav Material: Steel comp xm-13
100.0 degrees Criticality Code Justification: Agav Material: Steel comp xm-13 Material Specification:
100.0 degrees Criticality Code Justification: Agav Material: Steel comp xm-13 Material Specification: Ams 5629 assn standard single material response
100.0 degrees Criticality Code Justification: Agav Material: Steel comp xm-13 Material Specification: Ams 5629 assn standard single material response Surface Treatment:
100.0 degrees Criticality Code Justification: Agav Material: Steel comp xm-13 Material Specification: Ams 5629 assn standard single material response Surface Treatment: Passivate
100.0 degrees Criticality Code Justification: Agav Material: Steel comp xm-13 Material Specification: Ams 5629 assn standard single material response Surface Treatment: Passivate Thread Series Designator:
100.0 degrees Criticality Code Justification: Agav Material: Steel comp xm-13 Material Specification: Ams 5629 assn standard single material response Surface Treatment: Passivate Thread Series Designator: Unjf
100.0 degrees Criticality Code Justification: Agav Material: Steel comp xm-13 Material Specification: Ams 5629 assn standard single material response Surface Treatment: Passivate Thread Series Designator: Unjf Shelf Life:
100.0 degrees Criticality Code Justification: Agav Material: Steel comp xm-13 Material Specification: Ams 5629 assn standard single material response Surface Treatment: Passivate Thread Series Designator: Unjf Shelf Life: N/a
100.0 degrees Criticality Code Justification: Agav Material: Steel comp xm-13 Material Specification: Ams 5629 assn standard single material response Surface Treatment: Passivate Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:
100.0 degrees Criticality Code Justification: Agav Material: Steel comp xm-13 Material Specification: Ams 5629 assn standard single material response Surface Treatment: Passivate Thread Series Designator: Unif Shelf Life: N/a Unit Of Measure:
100.0 degrees Criticality Code Justification: Agav Material: Steel comp xm-13 Material Specification: Ams 5629 assn standard single material response Surface Treatment: Passivate Thread Series Designator: Unif Shelf Life: N/a Unit Of Measure: Demilitarization: