

View Online at <https://aerobasegroup.com/nsn/5305-01-481-0000>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

0.345 inches

**Fastener Length:**

1.095 inches

**Head Style:**

Flat countersunk

**Head Diameter:**

Between 0.372 inches and 0.381 inches

**Spline Major Diameter:**

Between 0.154 inches and 0.156 inches

**Grip Diameter:**

0.189 inches

**Shank Unthreaded Hole Diameter:**

0.070 inches first hole

**Internal Drive Style:**

Torx

**End Application:**

F/a-18e/f rudder trainer configuration adjustment assembly

**Thread Diameter:**

0.190 inches

**Grip Length:**

0.750 inches

**Thready Qty Per Inch (tpi):**

32

**Countersink Angle:**

Between 99.0 degrees and 101.0 degrees

**Criticality Code Justification:**

Agav

**Distance From Head Largest Bearing Surface To Shank Hole Center:**

0.989 inches first hole

**Material:**

Titanium alloy uns r56400

**Material Specification:**

Nas4004 assn standard single material response

**Thread Series Designator:**

Unjf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A003b0