## NSN 5305-01-482-5070



Machine Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-01-482-5070 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.938 inches **Fastener Length:** Between 0.969 inches and 1.000 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.285 inches and 0.332 inches **Internal Drive Style:** Cross recess type 1 **End Application:** Optps-7, vast **Thread Diameter:** 0.164 inches Thready Qty Per Inch (tpi): 32 **Countersink Angle:** Between 99.0 degrees and 101.0 degrees **Product Name:** Navy special project **Screw Material:** Steel comp 302 or steel comp 303 or steel comp 304 or steel comp 305 or steel comp 316 **Screw Material Specification:** 66 federal standard single material response **Screw Surface Treatment:** Oxide **Screw Surface Treatment Specification:** Mil-c-13924 military specification single treatment response **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No Fiig:

A500d0

## NSN 5305-01-482-5070

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-c-13924 spec.