NSN 5305-01-485-7348

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-485-7348

View Online at https://aerobasegroup.com/nsn/5305-01-485-7348
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.625 inches
Fastener Length:
Between 0.724 inches and 0.735 inches
Head Style:
Pan no. 2
Head Diameter:
Between 0.357 inches and 0.373 inches
Head Height:
Between 0.099 inches and 0.110 inches
Internal Drive Style:
Slot
Thread Diameter:
0.190 inches
Thready Qty Per Inch (tpi):
24
Min. Tensile Strength (psi):
55000 pounds per square inch
Screw Material:
Steel
Screw Material Specification:
Qq-w-409 federal specification single material response or qq-s-633 federal specification single material response
Bearing Surface Of Head Surface Treatment:
Cadmium or zinc
Head Surface Treatment:
Cadmium or zinc
Screw Surface Treatment:
Cadmium or zinc
Bearing Surface Of Head Surface Treatment Specification:
Qq-p-416, type i, class c federal specification 1st treatment response
Head Surface Treatment Specification:
Qq-p-416, type i, class c federal specification 1st treatment response
Screw Surface Treatment Specification:
Qq-p-416, type i, class c federal specification 1st treatment response
Special Features:
Includes self locking element
Thread Series Designator:

Unc

NSN 5305-01-485-7348

Machine Screw - Page 2 of 2



She	lf I	Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A500d0