NSN 5305-01-494-0616

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-494-0616 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.372 inches **Fastener Length:** Between 0.543 inches and 0.573 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.358 inches and 0.365 inches **Spline Major Diameter:** Between 0.1540 inches and 0.1560 inches **Grip Diameter:** Between 0.2485 inches and 0.2495 inches **Internal Drive Style:** Torx **End Application:** F18 e/f **Thread Diameter:** 0.250 inches **Grip Length:** Between 0.176 inches and 0.196 inches Thready Qty Per Inch (tpi): 28 **Countersink Angle:** Between 99.0 degrees and 101.0 degrees **Product Name:** Bolt 100 degree reduced head, gear drive recess-special thread length, inconel 718 (128 ksi shear) Material: Nickel alloy 718 **Surface Treatment: Passivate Thread Series Designator:** Unjf Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5305-01-494-0616

Close Tolerance Screw - Page 2 of 2



Fiig:

A003b0