NSN 5305-01-499-3538

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-499-3538

Thread Olace
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.531 inches and 0.546 inches
Fastener Length:
Between 2.140 inches and 2.187 inches
Head Style:
Flat countersunk
Head Diameter:
Between 0.447 inches and 0.507 inches
Internal Drive Style:
Cross recess type 1
Thread Diameter:
0.250 inches
Thready Qty Per Inch (tpi):
28
Countersink Angle:
Between 99.0 degrees and 101.0 degrees
Screw Material:
Aluminum alloy 2024
Screw Material Specification:
Qq-a-430 federal specification 1st material response or qq-a-225, t4 federal specification 2nd material response
Head Surface Treatment:
Anodize
Screw Surface Treatment:
Anodize
Head Surface Treatment Specification:
Mil-a-8625, type i or ii military specification single treatment response
Screw Surface Treatment Specification:
Mil-a-8625, type i or ii military specification single treatment response
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No.
Fiig:
A500d0
A00000

NSN 5305-01-499-3538

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-a-8625 spec.