## NSN 5305-01-499-9998

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-499-9998

The LOI of the Control of the Contro
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.560 inches
Fastener Length:
Between 0.530 inches and 0.560 inches
Head Style:
Pan
Head Diameter:
Between 0.306 inches and 0.322 inches
Head Height:
Between 0.105 inches and 0.115 inches
Internal Drive Style:
Cross recess type 1
End Application:
F-22 acft
Thread Diameter:
0.164 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
160000 pounds per square inch
Product Name:
Screw, pan hd
Screw Material:
Titanium alloy uns r56400
Screw Material Specification:
Ams4928 assn standard single material response or ams4967 assn standard single material response
Screw Surface Treatment:
Aluminum
Screw Surface Treatment Specification:
Nas4006 assn standard single treatment response
Thread Series Designator:
Unjc
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No

## NSN 5305-01-499-9998

Machine Screw - Page 2 of 2



Fiig:

A500d0