## NSN 5305-01-506-6309

Hexagon Head Cap Screw - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5305-01-506-6309

Thread Direction:
Right-hand
Thread Length:
35.0 millimeters
Fastener Length:
35.0 millimeters
Head Style:
Hexagon
Head Height:
Between 3.35 millimeters and 3.65 millimeters
Width Between Flats:
Between 7.64 millimeters and 8.00 millimeters
End Application:
2320-01-353-9098
Thread Diameter:
5.0 millimeters
Thread Pitch In Millimeters:
0.80
External Thread Tolerance Class:
6g
Material:
waterial.
Steel property class 8.8
Steel property class 8.8
Steel property class 8.8  Material Specification:
Steel property class 8.8  Material Specification: Iso898, part i assn standard single material response
Steel property class 8.8  Material Specification: Iso898, part i assn standard single material response  Surface Treatment:
Steel property class 8.8  Material Specification: Iso898, part i assn standard single material response  Surface Treatment:  Zinc and chromate
Steel property class 8.8  Material Specification: Iso898, part i assn standard single material response  Surface Treatment: Zinc and chromate  Surface Treatment Specification:
Steel property class 8.8  Material Specification: Iso898, part i assn standard single material response  Surface Treatment:  Zinc and chromate  Surface Treatment Specification:  Din267, part 9 assn standard single treatment response
Steel property class 8.8  Material Specification: Iso898, part i assn standard single material response  Surface Treatment: Zinc and chromate  Surface Treatment Specification: Din267, part 9 assn standard single treatment response  Thread Series Designator:
Steel property class 8.8  Material Specification: Iso898, part i assn standard single material response  Surface Treatment: Zinc and chromate  Surface Treatment Specification: Din267, part 9 assn standard single treatment response  Thread Series Designator: M
Steel property class 8.8  Material Specification: Iso898, part i assn standard single material response  Surface Treatment: Zinc and chromate  Surface Treatment Specification: Din267, part 9 assn standard single treatment response  Thread Series Designator:  M  Shelf Life:
Steel property class 8.8  Material Specification: Iso898, part i assn standard single material response  Surface Treatment: Zinc and chromate  Surface Treatment Specification: Din267, part 9 assn standard single treatment response  Thread Series Designator: M  Shelf Life: N/a
Steel property class 8.8  Material Specification: Iso898, part i assn standard single material response  Surface Treatment: Zinc and chromate  Surface Treatment Specification: Din267, part 9 assn standard single treatment response  Thread Series Designator: M  Shelf Life: N/a
Steel property class 8.8  Material Specification: Iso898, part i assn standard single material response  Surface Treatment: Zinc and chromate  Surface Treatment Specification: Din267, part 9 assn standard single treatment response  Thread Series Designator: M  Shelf Life: N/a  Unit Of Measure:
Steel property class 8.8  Material Specification: Iso898, part i assn standard single material response  Surface Treatment: Zinc and chromate  Surface Treatment Specification: Din267, part 9 assn standard single treatment response  Thread Series Designator: M  Shelf Life: N/a  Unit Of Measure: Demilitarization: