## NSN 5305-01-507-1756

Machine Screw - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5305-01-507-1756 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.232 inches **Fastener Length:** Between 0.343 inches and 0.373 inches **Head Style:** Pan **Head Diameter:** Between 0.205 inches and 0.219 inches **Head Height:** Between 0.070 inches and 0.080 inches **Internal Drive Style:** Torque set **End Application:** Main power di, aircraft, hawkeye e-2c **Thread Diameter:** 0.112 inches Thready Qty Per Inch (tpi): 40 **Screw Material:** Steel comp e4340 or steel comp 4140 or steel comp 8740 or steel comp 4340 **Screw Material Specification:** Bmil-s-5000 assn standard 3rd material response or mil-s-5626 military specification 2nd material response or mil-s-6049 military specification 3rd material response or ams6415 assn standard 4th material response **Screw Surface Treatment:** Cadmium **Screw Surface Treatment Specification:** Qq-p-416, type 2, cl 2 federal specification single treatment response **Thread Series Designator:** Unjc Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Mil-s-5000 spec.

Mil-std (military Standard):

Fiig: A500d0