Hexagon Head Cap Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-01-507-7327



| Thread Class:   |
|---|
| 2a  |
| Thread Direction:   |
| Right-hand  |
| Thread Length:  |
| 1.250 inches  |
| Fastener Length:  |
| Between 1.436 inches and 1.500 inches   |
| Head Style:   |
| Hexagon   |
| Head Height:  |
| Between 0.302 inches and 0.323 inches   |
| Width Between Flats:  |
| Between 0.736 inches and 0.750 inches   |
| Hole Diameter:  |
| Between 0.060 inches and 0.067 inches   |
| Thread Diameter:  |
| 0.500 inches  |
| Hole Quantity:  |
| 1   |
| Ноје Туре:  |
| Drilled   |
| Thready Qty Per Inch (tpi):   |
| 13  |
| Min. Tensile Strength (psi):  |
| 11300 pounds per square inch  |
| Hole Configuration Style:   |
| Hexagon flats   |
| Material:   |
| Steel comp 304 or steel comp 305 or steel comp 384 or steel comp 304l or steel comp 316l or steel comp xm-7 |
| Surface Treatment:  |
| Passivate   |
| Surface Treatment Specification:  |
| Qq-p-35 federal specification single treatment response   |
| Thread Series Designator:   |
| Unc   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
|   |

## NSN 5305-01-507-7327

Hexagon Head Cap Screw - Page 2 of 2

Fiig: A003b0

