## NSN 5305-01-512-8696

Shoulder Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-512-8696

Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.250 inches
Fastener Length:
0.812 inches
Head Style:
Pan no. 2
Head Diameter:
0.375 inches
Head Height:
0.190 inches
Shoulder Diameter:
0.249 inches all shoulders
Shoulder Length:
0.531 inches all shoulders
Internal Drive Style:
Hexagon
End Application:
An/ark222 sin
Thread Diameter:
0.190 inches
Width Across Flats:
0.099 inches
Thready Qty Per Inch (tpi):
32
Shoulder Shape:
Round all shoulders
Product Name:
Screw, shoulder
Special Features:
Between shoulder and threads theirs 1 1/2 thsd undercut, with end 45 degrees chamfer. Between shoulder and the head theirs .031 width
cutdown.
Material:
Steel comp 303
Material Specification:
Mil-s-764, cond a military specification single material response
Surface Treatment:
Passivate

Mil-f-14072-a (el) e300 military specification single treatment response

**Surface Treatment Specification:** 

## NSN 5305-01-512-8696

Shoulder Screw - Page 2 of 2



Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A003b0

Mil-std (military Standard):

Mil-s-764 spec.