

NSN 5305-01-520-3836 Close Tolerance Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-01-520-3836 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.641 inches **Fastener Length:** Between 1.875 inches and 1.922 inches **Head Style:** Flat countersunk **Head Diameter:**

Between 0.717 inches and 0.760 inches

Grip Diameter:

Between 0.3735 inches and 0.3745 inches

Point Length: 0.060 inches

Point Style:

Flat

Internal Drive Style:

High-torque

Thread Diameter:

0.3750 inches

Grip Length:

Between 1.240 inches and 1.260 inches

Thready Qty Per Inch (tpi):

24

Min. Tensile Strength (psi):

15550 pounds per square inch

Countersink Angle:

Between 99.0 degrees and 101.0 degrees

Surface Finish:

32.0 microinches threads

Material:

Steel

Material Specification:

Nas98 assn standard single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Nas672 federal standard single treatment response

Thread Series Designator:

Unjf

NSN 5305-01-520-3836

Close Tolerance Screw - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0