## NSN 5305-01-521-9992

Socket Head Cap Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-521-9992

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.747 inches and 0.750 inches
Fastener Length:
Between 0.747 inches and 0.750 inches
Head Style:
Flat chamfer
Head Diameter:
Between 0.303 inches and 0.312 inches
Head Height:
Between 0.185 inches and 0.190 inches
Hole Diameter:
Between 0.044 inches and 0.050 inches
Internal Drive Style:
Hexagon
Thread Diameter:
0.190 inches
Width Across Flats:
Between 0.1562 inches and 0.1587 inches
Hole Quantity:
3
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
32
Hole Configuration Style:
Round internal hexagon
Special Features:
Modified from ms24673-4
Material:
Steel comp 302 or steel comp 304 or steel comp 305 or steel comp 316 or steel comp 384
Material Specification:
Astm a493 assn standard all material responses
Surface Treatment:
Aluminum
Surface Treatment Specification:
Mil-c-83488 military specification single treatment response
Thread Series Designator:
Unf

## NSN 5305-01-521-9992

Socket Head Cap Screw - Page 2 of 2



N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A003b0	

Shelf Life:

Mil-std (military Standard):

Mil-c-83488 spec.