NSN 5305-01-537-3449

Between 0.521 inches and 0.541 inches

Thread Class:

Right-hand

Thread Length:

Thread Direction:

Fastener Length:

1.250 inches **Head Style:**

За

Panel Screw Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-537-3449

| Hexagon |
|--|
| Head Height: |
| Between 0.188 inches and 0.209 inches |
| Width Between Flats: |
| Between 0.554 inches and 0.564 inches |
| Spline Minor Diameter: |
| Between 0.188 inches and 0.192 inches |
| Spline Major Diameter: |
| Between 0.264 inches and 0.268 inches |
| Internal Drive Style: |
| Torx |
| End Application: |
| F-22 raptor (emd) |
| Material Accommodated Thickness: |
| 0.718 inches |
| Thread Diameter: |
| 0.375 inches |
| Thready Qty Per Inch (tpi): |
| 24 |
| Min. Tensile Strength (psi): |
| 15539 pounds per square inch |
| Product Name: |
| Screw assembly panel |
| Material: |
| Nickel alloy 718 |
| Material Specification: |
| Ms 5652 national std/spec single material response |
| Surface Treatment: |
| Passivate |
| Surface Treatment Specification: |
| Ms qq-p-35 national std/spec single treatment response |
| Thread Series Designator: |
| Unjf |
| |
| |

NSN 5305-01-537-3449

Panel Screw Assembly - Page 2 of 2



| _ | | | | | |
|----|---|---|----|----|----|
| ٠. | n | _ | I+ | 18 | e: |
| | | | | | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0