## NSN 5305-01-545-8238

Between 0.251 inches and 0.301 inches

Between 0.449 inches and 0.479 inches

**Thread Class:** 

Right-hand

Thread Length:

**Thread Direction:** 

Fastener Length:

За

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-545-8238

Head Style:	
Pan no. 2	
Head Diameter:	
Between 0.306 inches and 0.313 inches	
Head Height:	
Between 0.103 inches and 0.118 inches	
Grip Diameter:	
Between 0.188 inches and 0.189 inches	
Internal Drive Style:	
Offset cruciform (torque set)	
Thread Diameter:	
0.190 inches	
Grip Length:	
Between 0.178 inches and 0.198 inches	
Thready Qty Per Inch (tpi):	
32	
Min. Tensile Strength (psi):	
160000 pounds per square inch	
Hardness Rating:	
24.0 rockwell c and 35.0 rockwell c	
Minimum Yield Strength:	
85000 pounds per square inch	
Special Features:	
Drilled head	
Material:	
Iron alloy 660	
Material Specification:	
Ams5731 assn standard single material response	
Surface Treatment:	
Passivate	
Surface Treatment Specification:	
Qq-p-35 federal specification single treatment response	
Thread Series Designator:	
Unjf	

## NSN 5305-01-545-8238

Close Tolerance Screw - Page 2 of 2



_				-		
C	h	0	Iŧ.		ife:	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A003b0