NSN 5305-01-549-2994

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-549-2994

The state of the s
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.205 inches
Fastener Length:
Between 0.281 inches and 0.312 inches
Head Style:
Flat countersunk
Head Diameter:
Between 0.177 inches and 0.225 inches
Locking Feature:
Patch
Internal Drive Style:
Torque set
End Application:
Ef-18 hornet
Thread Diameter:
0.112 inches
Thready Qty Per Inch (tpi):
40
Min. Tensile Strength (psi):
160000 pounds per square inch
Hardness Rating:
Between 36.0 rockwell c and 40.0 rockwell c
Countersink Angle:
Between 99.0 degrees and 101.0 degrees
Screw Material:
Steel comp e4340 and steel comp 4140 and steel comp 8740 and steel comp 8735 and steel comp 6150
Locking Feature Material:
Plastic polyamide
Screw Surface Treatment:
Cadmium
Screw Surface Treatment Specification:
Qq-p-416, ty2cl2 federal specification single treatment response
Thread Series Designator:
Unjc
Specification Data:
80205-nas1189 professional/industrial association standard
Shelf Life:
N/a

NSN 5305-01-549-2994

Machine Screw - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A500d0